

DPM 2559 + - 1 + - 2  
Coating, Photo-Sensitive Resist

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G53

DPM 2559

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist  
50 gals.

P&S NO. 42345

CATALOG NO. 159 2336

1. DOT Hazard Classification Combustible
2. Hazardous Component Ethylene Glycol Monomethyl Ether Acetate Percent 83 - 93
3. Size & Type Receptacle Containing Hazardous Component 50 gal. drum
4. Flashpoint (If Applicable) 122 F T.O.C. 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-52

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76  
DESCRIPTION KODAK Photo Resist P&S NO. 42341  
5 gals.  
CATALOG NO. 159 2666

1. DOT Hazard Classification Combustible
2. Hazardous Component Ethylene Glycol Monomethyl Ether Acetate Percent 83 - 93
3. Size & Type Receptacle Containing Hazardous Component 5 gal. pail
4. Flashpoint (If Applicable) 122 F T.O.C. 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

## EXTERNAL TRANSPORTATION ADDENDUM

G-51

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist P&S NO. 42346  
1 qt.

CATALOG NO. 189 2074

1. DOT Hazard Classification Combustible  
Ethylene Glycol Monomethyl
2. Hazardous Component Ether Acetate Percent 83 - 93
3. Size & Type Receptacle Containing Hazardous Component 1 qt. glass bottle
4. Flashpoint (If Applicable) 122 F T.O.C. 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-63

DPM 2559-1

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist, Type 3, Saftepak & S NO. 42362  
1 qt.

CATALOG NO. 186 4479

1. DOT Hazard Classification Flammable
2. Hazardous Component Monochlorobenzene Percent 75 - 85
3. Size & Type Receptacle Containing Hazardous Component 1 qt. glass Saftepak
4. Flashpoint (If Applicable) 86 F T.O.C. 84 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-62

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist, Type 3  
50 gals.

P&S NO. 42366

CATALOG NO. 159 2781

1. DOT Hazard Classification Flammable
2. Hazardous Component Monochlorobenzene Percent 75 - 85
3. Size & Type Receptacle Containing Hazardous Component 50 gal. drum
4. Flashpoint (If Applicable) 86 F T.O.C. 84 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-61

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist, Type 3 P&S NO. 42364  
5 gals.

CATALOG NO. 186 0105

1. DOT Hazard Classification Flammable
2. Hazardous Component Monochlorobenzene Percent 75 - 85
3. Size & Type Receptacle Containing Hazardous Component 5 gal. pail
4. Flashpoint (If Applicable) 86 F T.O.C. 84 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-60

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76  
DESCRIPTION KODAK Photo Resist, Type 3 P&S NO. 42361  
1 qt.  
CATALOG NO. 186 0121

1. DOT Hazard Classification Flammable
2. Hazardous Component Monochlorobenzene Percent 75 - 85
3. Size & Type Receptacle Containing Hazardous Component 1 qt. glass bottle
4. Flashpoint (If Applicable) 86 F T.O.C. 84 F T.O.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

EXTERNAL TRANSPORTATION ADDENDUM

G-79

TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76

DESCRIPTION KODAK Photo Resist Thinner (for  
Photolithography) 54 gal.

P&S NO. 42423

CATALOG NO. 170 0350

1. DOT Hazard Classification Combustible
2. Hazardous Component Methyl Cellosolve Acetate Percent 90 - 100
3. Size & Type Receptacle Containing Hazardous Component 54 gal. drum
4. Flashpoint (If Applicable) 123 F T.O.C. 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

# EXTERNAL TRANSPORTATION ADDENDUM

JAN 28 1982

G-78

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 8-30-76  
DESCRIPTION KODAK Photo Resist Thinner(for P&S NO. 42421  
Photolithography) 1 gal.  
CATALOG NO. 146 8339

1. DOT Hazard Classification Combustible
2. Hazardous Component Methyl Cellosolve Acetate ,Percent 90 - 100
3. Size & Type Receptacle Containing Hazardous Component 1 gal. cans
4. Flashpoint (If Applicable) 123 F T.O.C. . 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date. \*

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

JAN 28 1982

# EXTERNAL TRANSPORTATION ADDENDUM

G-77

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DESCRIPTION KODAK Photo Resist Thinner(for  
Photolithography) 1 qt.  
DATE 8-30-76  
P&S NO. 42424  
CATALOG NO. 195 6853

1. DOT Hazard Classification Combustible
2. Hazardous Component Methyl Cellosolve Acetate Percent 90 - 100
3. Size & Type Receptacle Containing Hazardous Component 1 qt. glass bottle
4. Flashpoint (If Applicable) 123 F T.O.C. 116 F T.C.C.

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

# EXTERNAL TRANSPORTATION ADDENDUM

G-76

## TRANSPORTATION INFORMATION

(For Re-Shipment of Kodak Photochemical Products)

DATE 10-4-76

DESCRIPTION KODAK Photo Resist Thinner (for P&S NO. 42441  
Photoengraving 1 gal.

CATALOG NO. 153 6531

1. DOT Hazard Classification Non-hazardous
2. Hazardous Component \_\_\_\_\_ Percent \_\_\_\_\_
3. Size & Type Receptacle Containing Hazardous Component \_\_\_\_\_
4. Flashpoint (If Applicable) \_\_\_\_\_

NOTE: The above information is provided as a service by Eastman Kodak Company. It represents our best information as of the date indicated. We are not responsible for its accuracy or for possible changes subsequent to such date.

For more information on packaging for shipment refer to R. M. Graziano's Tariff No. 30, effective January 14, 1976 (Code of Federal Regulations, Title 49) or any subsequent updating of this document and/or your selected carrier.

*Jordan*

**DOUGLAS AIRCRAFT COMPANY**

3855 Lakewood Boulevard Long Beach, California 90846

March 28, 1977

C1-726-76

Eastman Kodak Company  
12100 Rivera Road  
Whittier, California 90606

Attention: S. A. Brady

Gentlemen:

TO EXPEDITE OUR REPLY  
TO YOUR COMMUNICATION  
WE ARE USING THIS  
INFORMAL RESPONSE.

KO 3955

Kodak

This facility must, on occasion, reship your following products:

KPR, Photo-Sensitive Resist Coating (all sizes)	_____	DPM 255T
KPR-3, Photo-Sensitive Resist Coating (all sizes)	_____	" " - 1
KPR, Photo-Resist Thinner (all sizes)	_____	" " - 2
KPR, Photo-Resist Dye (all sizes)	_____	" 2561

In order to insure our compliance with the Hazardous Materials Regulations of the Department of Transportation, Title 49, Code of Federal Regulations, it is requested this office be advised as to whether or not your products are regulated or restricted articles for shipment by surface or air modes of transport.


Should the products be regulated, please indicate:

1. DOT Proper Shipping Name per Section 172.101, 49 CFR.
2. DOT Hazard Classification per Section 172.101, 49 CFR.
3. Flash Point and Closed Cup method per Section 173.115, 49 CFR.
4. IATA Article Number.

It is further requested this office be furnished a current copy of the Occupational Safety and Health Administration (OSHA) Material Safety Data Sheet, if available, for all components listed.

Your cooperation and prompt reply will be appreciated.

Very truly yours,



M. J. Veneroso, Dent. C1-726 (52-11)  
Materials Handling & Packaging Engineering  
Douglas Aircraft Company

WTJ:rc

  
MCDONNELL DOUGLAS

CORPORATION

BOE-C6-0204278